

**REPORT OF ANALYSIS**

For: (35432) OPEN FARM

Cat-OF Lamb Kibble

09521FCL

Analysis	Level Found		Reporting		Method	Analyst- Date	Verified- Date
	As Received	Units	Limit				
Sample ID: <b>09521FCL - Micros</b> Lab Number: <b>13605663</b> Date Sampled: <b>2021-04-05</b>							
E. coli (generic)	n.d.	cfu/g	10		AOAC 2018.13	smb8-2021/04/08	snl7-2021/04/08
Salmonella	negative	org/375g	1		RapidChek/AOAC RI 030301; AFNOR SDI 34/01-04/10	tma2-2021/04/09	snl7-2021/04/09
Listeria Monocytogenes Confirmation	Negative		n/a		MB935 (FDA-BAM, Ch. 10 (Cultural Confirmation))	out-2021/04/26	kaq4-2021/04/26

Listeria Monocytogenes Confirmation analysis was performed by an outside laboratory. Please see attached outsource report for additional information.

This report was reissued on 2021-04-26 15:47:54 by kaq4 for the following reason:  
outsource.

All results are reported on an AS RECEIVED basis., n.d. = not detected , cfu = colony forming unit

For questions please contact:



Derrick Kendrick  
Account Manager  
dkendrick@midwestlabs.com (402)590-2989

The result(s) issued on this report only reflect the analysis of the sample(s) submitted.

Our reports and letters are for the exclusive and confidential use of our clients and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.

**OPEN FARM - BARRETT  
MEGHAN BENNETT  
170 BEDFORD ROAD SUITE 300  
TORONTO ON M5R 2K9**

**REPORT OF ANALYSIS**

For: (35432) OPEN FARM - BARRETT  
Cat-OF Lamb Kibble  
09521FCL

**Detailed Method Description(s)****E. coli and Total Coliform using 3M Petrifilm**

Sample analysis follows MWL MI 292 which is based on AOAC 2018.13. A representative sample is obtained and added to phosphate buffer. Aliquots of the sample are withdrawn and placed on Petrifilm plates. The plates are incubated for 18 to 24 hours. After incubation, the plates are counted to determine the number of generic E. coli and total coliforms present. The color of the colony and the presence of gas differentiate a generic coliform from E. coli. The levels are reported as colony forming units (cfu).

**Salmonella - Lateral Flow**

Samples are analyzed following MWL MI 195 which is based on the RapidChek Select Salmonella User Guide. A representative sample is obtained and combined with a selective media and allowed to incubate. After incubation, a test strip is used for Salmonella determination. Results are reported as negative or presumptive positive.

**Listeria Lateral Flow**

Samples are analyzed following MWL MI 194 which is based on the RapidChek Listeria User Guide. A representative sample is obtained and combined with a selective growth media. It is incubated for 40-48 hours. After incubation, an aliquot is heated for 10 minutes, and a test strip for Listeria detection is used. Results are reported as negative or presumptive positive. This procedure does not speciate Listeria.

**Administrative, sampling, fees**

General procedure for special administrative activities such as report issuance, sample splitting or compositing.

The result(s) issued on this report only reflect the analysis of the sample(s) submitted.

**Our reports and letters are for the exclusive and confidential use of our clients and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.**



**IEH**  
**Laboratories &  
 Consulting Group**

# CERTIFICATE OF ANALYSIS

Midwest Labs Inc.

13611 B St.  
 Omaha, NE 68144  
 Phone:402-697-9581 ext. 298

IEH Laboratories & Consulting Group **PAGE 3/3**

IEH-Lake Forest Park  
 15300 Bothell Way NE  
 Lake Forest Park, WA 98155  
 Phone:206-522-5432 Fax:206-524-4639  
 www.iehinc.com

TRADE SECRET / CONFIDENTIAL COMMERCIAL INFORMATION

PO # 3507

WO: 1172561

Rec. Date: 4/13/2021 11:17 Report Date: 4/17/2021

Report No: LFP-254359

Lab Sample No	Cust. Sample No	Sample Desc	Listeria monocytogenes MB935 (FDA-BAM, Ch. 10 (Cultural Confirmation))
1172561-002	13605663	Culture	Confirmed Negative

Test Method: Listeria monocytogenes (Cultural Conf.) = Listeria monocytogenes MB935 (FDA-BAM, Ch. 10 (Cultural Confirmation))

UNLESS OTHERWISE NOTED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION. THE RESULT(S) IN THIS REPORT RELATE ONLY TO THE PORTION OF THE SAMPLE(S) TESTED. THIS REPORT DOES NOT CONSTITUTE A RELEASE OF PRODUCT FOR CONSUMPTION. THIS REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL OF THE LABORATORY. THIS DOCUMENT CONTAINS CONFIDENTIAL COMMERCIAL INFORMATION PURSUANT TO 5 U.S.C. SEC. 552(b)(4).

*Eni Themeli*

Authorized Analyst: Eni Themeli