

Project Description: Product Testing (Verbal PO)

Certificate of Analysis

AEMTEK #: 2111285 Open Farm
Sampling Date: 2021-11-02
Sample Received: 2021-11-04
Analysis Started: 2021-11-04
Analysis Performed By: BJ, DD, MC, TB
Report Issue Date: 2021-11-06

Analyte			Escherichia coli	Salmonella	Listeria genus
Method			AOAC OMA 991.14	AOAC OMA 2011.03	AOAC OMA 2013.10
Reporting Unit			CFU/g	per 375g	per 125g
Method Detection Limit for Reporting			10	P/A	P/A
Sample ID	Sample Description	Lot #/Code	RESULTS		
1	Open Farm Goat Milk Kefir 30oz	JAN 31 23 1000006315	<10	ND	ND
2	Open Farm Goat Milk Kefir 16oz	JAN 31 23 1000006316	<10	ND	ND

Terminology:

CFU = Colony Forming Units g = gram
 < Indicates less than the reporting limit as noted
 ND = Not Detected, negative, absent. Sensitivity is about 1 organism per test portion.
 BAM = FDA Bacteriological Analytical Manual
 AOAC OMA = Official Methods of Analysis of the AOAC International, 18th ed.

MPN = Most Probable Number
 P/A = Presence/Absence N/A = Not Applicable or not analyzed
 CP Staph = Coagulase Positive Staphylococci (Staphylococcus aureus)
 CMMEF = Compendium of Methods for the Microbiological Examination of Foods, 4th ed.
 AOAC RI = AOAC Research Institute Performance Tested.