19-343-9035

Dec 09, 2019
RECEIVED DATE
Dec 06, 2019

35432



PAGE 1/2
ISSUE DATE

Dec 09, 2019

13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 www.midwestlabs.com

REPORT OF ANALYSIS

For: (35432) OPEN FARM Cat-OF Lamb Kibble 33819FCL

Analysis	Level Foul As Receiv		Reporting Limit	Method	Analyst- Date	Verified- Date
Sample ID: 33819FCL-Micros	Lab Number: 13347933	Date Sampled: 20	19-12-04			
Listeria	negati	ve org/125g	1	RapidChek/AOAC RI 020401	kas2-2019/12/08	jag7-2019/12/08
E. coli (generic)	n.	d. cfu/g	10	AOAC 991.14	nfo4-2019/12/08	jag7-2019/12/09
Salmonella	negati	ve org/375g	1	RapidChek/AOAC RI 030301; AFNOR SDI 34/01-04/10	kas2-2019/12/08	jag7-2019/12/08

All results are reported on an AS RECEIVED basis., n.d. = not detected, cfu = colony forming unit

For questions please contact:

Sara Sterkel-Colombo Account Manager

scolombo@midwestlabs.com (402)590-2983

19-343-9035

Dec 09, 2019
RECEIVED DATE
Dec 06, 2019

SEND TO **35432**



PAGE 2/2

| SSUE DATE | Dec 09, 2019

13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 www.midwestlabs.com

REPORT OF ANALYSIS

For: (35432) OPEN FARM Cat-OF Lamb Kibble 33819FCL

Detailed Method Description(s)

E. coli and Total Coliform using 3M Petrifilm

Sample analysis follows MWL MI 292 which is based on AOAC 991.14. A representative 25 +/- 0.5 g is obtained and placed in a stomacher bag along with 225 mL of phosphate buffer. If the sample is en environmental sponge, 15 mL of phosphate buffer is added to each sponge. The stomacher bag is blended or hand-massaged to homogenize the sample. Aliquots of the sample are withdrawn and placed on the Petrifilm plates. After the plates are prepared, they are incubated for 48 +/- 4 hours at 35 +/- 1C. After samples are incubated, plates are counted to determine the number of generic E. coli and total coliform present. The color of the colony and the presence of gas differentiate a generic coliform from E. coli. The levels reported as colony forming units (cfu) per gram.

Salmonella - Lateral Flow

Samples are analyzed following MWL MI 195. Samples are analyzed using the RapidChek Select Salmonella Test Kit. A representative sample is obtained using aseptic technique. Each sample is weighed into a sterile bag and enrichment media is added. Samples are incubated and screened for Salmonella. Results are reported as presumptive positive or negative.

Listeria Lateral Flow

A representative sample is obtained using aseptic techniques. The sample is combined with growth media and allowed to incubate. After the required incubation time, an aliquot is heated for 10 minutes, and a test strip for Listeria detection is used. The test strip contains antibodies specific for Listeria antigens. If a single line appears, the sample is negative and if a double line appears, it is positive. This method does not provide a count as it can only report positive or negative results. This procedure does not speciate Listeria.