

## SILLIKER, Inc.

### **Illinois Laboratory**

3600 Eagle Nest Drive, North Building, Crete, IL 60417

Tel. 877-777-6375 Fax. 312-729-1320

Email: getresults-mweca@mxns.com

#### COPY TO:

To. Lab Results
Open Farm
170 Bedford Road
Toronto, ON M5R2K9

### **CERTIFICATE OF ANALYSIS**

COA No:	CHG-44955077-0
Supersedes:	None
COA Date	7/15/21
Page 1 of 1	•

Received From:	Toronto, ON
Received Date:	7/13/21
P.O.# / ID:	37919
Location of Test: (except where noted)	

Crete. IL

# **Analytical Results**

Laboratory ID: 411412083 Condition Rec'd: NORMAL Temp Rec'd (°C): -1

**Desc. 1:** 37919

Desc. 2: Turkey, RTE CH

Desc. 3:

Analyte Result Units Method Reference Test Date Loc. \* E. coli O157:H7 PCR Negative /325g AOAC RI 031002 7/14/21 PCR L. monocytogenes Negative /25g USDA. MLG 8A.05 7/15/21 \* Salmonella - ELFA Negative /25g AOAC 2004.03 7/15/21

Steven Zbylut Laboratory Director

I Customer supplied information

\* ISO17025 Accredited Analysis

† Indicates reason for COA amendent when applicable