

## SILLIKER, Inc.

## **Illinois Laboratory**

3600 Eagle Nest Drive, North Building, Crete, IL 60417

Tel. 877-777-6375 Fax. 312-729-1320

Email: getresults-mweca@mxns.com

#### COPY TO:

To. Lab Results Open Farm 170 Bedford Road Toronto, ON M5R2K9

### **CERTIFICATE OF ANALYSIS**

COA No:	CHG-45293162-0
Supersedes:	None
COA Date	10/22/21
Page 1 of 1	•

Received From:	Toronto, ON
Received Date:	10/20/21
P.O.# / ID:	38286
Location of Test: (except where noted)	

Crete, IL

# **Analytical Results**

Laboratory ID: 413848902 Condition Rec'd: NORMAL Temp Rec'd (°C): 3

Desc. 1:

Surf & Turf, RTE CH 12 OZ Desc. 2:

Desc. 3: Lot code 38286

Analyte Result Units Method Reference Test Date Loc. \* E. coli O157:H7 PCR Negative /325g AOAC RI 031002 10/21/21 PCR L. monocytogenes Negative /25g USDA. MLG 8A.05 10/22/21 \* Salmonella - ELFA Negative /25g AOAC 2004.03 10/22/21

> Peisha Barnes Laboratory Director

I Customer supplied information

\* ISO17025 Accredited Analysis

† Indicates reason for COA amendent when applicable