

# **CERTIFICATE OF ANALYSIS**

#### COA No: CHG-45362266-0 Supersedes: None **COA Date** 11/11/21 Page 1 of 1

# SILLIKER, Inc.

# **Illinois Laboratory**

3600 Eagle Nest Drive, North Building, Crete, IL 60417

Tel. 877-777-6375 Fax. 312-729-1320 Email: getresults-mweca@mxns.com

COPY TO:

To. Lab Results Open Farm 170 Bedford Road Toronto, ON M5R2K9

Received From:	Toronto, ON
Received Date:	11/9/21
P.O.# / ID:	38362
Location of Test: (except where noted)	
Croto II	

# **Analytical Results**

Laboratory ID: 414327823 Condition Rec'd: NORMAL Temp Rec'd (°C): 6

Desc. 1:

Lot Code: 38362 Desc. 2:

Surf & Turf, RTE CH PO Desc. 3:

2047/1

Analyte Result Units Method Reference Test Date Loc. \* E. coli O157:H7 PCR Negative /325g AOAC RI 031002 11/10/21 PCR L. monocytogenes Negative /25g USDA. MLG 8A.05 11/11/21 \* Salmonella - ELFA Negative /25g AOAC 2004.03 11/11/21

Reisha Barnes

Reisha Barnes Laboratory Director