

SILLIKER, Inc.

COPY TO:

To. Lab Results
Open Farm

170 Bedford Road

Toronto, ON M5R2K9

Illinois Laboratory

3600 Eagle Nest Drive, North Building, Crete, IL 60417

Tel. 877-777-6375 Fax. 312-729-1320 Email: getresults-mweca@mxns.com

COA No: CHG-45947755-0

Supersedes: None

COA Date 5/9/22

Page 1 of 1

CERTIFICATE OF ANALYSIS

ORIGINAL TO:

Mr. Michael Furr Vice President of Operations Karn Meats, Inc.

> 922 Taylor Avenue Columbus, OH 43219-2558

Received From:	Toronto, ON
Received Date:	5/7/22
P.O.# / ID:	39033
Location of Test: (except where noted)	
Crete, IL	

Analytical Results

Laboratory ID: 418625468 Condition Rec'd: NORMAL Temp Rec'd (°C): 6

Desc. 1: 12461

Desc. 2: Turkey, RTE CH 16 oz

Desc. 3: 39033

Analyte Result Units Method Reference Test Date Loc. * E. coli O157:H7 PCR AOAC RI 031002 Negative /325g 5/8/22 5/9/22 PCR L. monocytogenes Negative /25g USDA, MLG 8A.05 * Salmonella - ELFA Negative /25g AOAC 2004.03 5/9/22

Sarah O'Brien

Laboratory Director

I Customer supplied information

* ISO17025 Accredited Analysis

† Indicates reason for COA amendent when applicable