

CTLA ID: 42660  
 Date Received: 11/29/2021  
 Sample Name: OF Lamb 13.5 oz pouch (FP)  
 Lot Number: LMA1124213  
 Customer:

Analysis	Method	MDL Specification	Result	Units
<b>Rapid Complete Micro</b>				
Total Plate Count	USP <2021>	100 Report	500	cfu/g
Total Coliforms	BAM CH.4	10 Report	<10	cfu/g
<i>E. coli</i>	USP <2022>	Negative	Negative	
<i>Salmonella</i>	USP <2022>	Negative	Negative	
<i>Staphylococcus aureus</i> <2022>	USP <2022>	Report	Negative	
Rapid Yeast and Mold	AOAC 2014.05	10 Report	<10	cfu/g
<b>Listeria BAM</b>	BAM CH.10	Negative	Negative	per 25 g
<b>Moisture</b>	AOAC 930.15	.01 Report	2.12	g/100 g

12/2/2021  
DATE



Quality Manager

Specifications provided by the Customer. Results with an asterisk (\*) denote Specifications should be reviewed by the Customer. This Certificate of Analysis represents data for the sample submitted and does not constitute a guarantee of quality for the entire product from which it was taken. These results are provided for the benefit of the Customer. MDL = Method Detection Limit.